


Secure your IT equipment with confidence...
secure with **NetClosure**™



SERVER CABINETS



Open, side view



Top view

NetClosure's REM Series Server Cabinet is the ultimate solution designed and engineered for demanding data center environments. To achieve optimum versatility within the Server Cabinet, users can set multiple depths throughout the rack by adjustable 19" mounting rails mounted on heavy-duty side supports. Horizontally divided side panels provide ease of access and convenient post-installation maintenance. Over 69% perforation of front and rear door panels enable optimum airflow within the rack.

Features

- Fully assembled
- Locking, removable, reversible front and rear doors
- Cabinet doors feature a minimum 69% airflow perforation pattern that meets or exceeds equipment manufacturer requirements
- Meets Payment Card Industry Data Security Standard (PCI DSS) compliance requirements
- Inside rear of cabinet includes two, tool-less PDU cable trays for cable management and industry-standard vertical PDU installation
- Top panel is easily removable for cable installation
- Generous cable access panels makes it easy to install top panel without affecting installed cabling
- Locking, removable side panels
- Integrated grounding, with quick connects on all doors
- Built-in baying kit speeds up baying of multiple cabinets within a row
- Optional racking accessories available

Specifications

- 16-gauge steel construction
- 3,000 lbs (1,360 kg) of equipment load
- RoHS compliant
- EIA-310-D compliant

Each Server Cabinet Includes:

- One locking front cabinet door with curved surface for added rigidity
- One pair of split rear cabinet doors making access easier in tight spaces
- Two pairs of split, locking and removable side panels. Split panels are easier to remove and reinstall
- Two pairs of 19in EIA-310-D compliant square hole punched rails with rack unit markings. Rails easily adjust in depth in 1/4" increments
- Two tool-less PDU cable trays
- Six hinged, plastic cable grommets on top panel
- Two removable top panels for additional cable entry
- Four adjustable leveling feet
- Four recessed casters (removable) allows for clearance through a standard height doorway

Model #	Size/Compare To*
REM24600107	24Ux600mmx1070mm/ 24U (47")x24"x42"
REM32600107	32Ux600mmx1070mm/ 32U (61")x24"x42"
REM37600107	37Ux600mmx1070mm/ 37U (70")x24"x42"
REM42600107	42Ux600mmx1070mm/ 42U (79")x24"x42"
REM42600120	42Ux600mmx1200mm/ 42U (79")x24"x48"
REM48600120	48Ux600mmx1200mm/ 48U (89")x24"x48"
REM48800120	48Ux800mmx1200mm/ 48U (89")x30"x48"

*Consult product data sheet for exact English dimensions

COLOCATION CABINETS



The Colocation Cabinet provides a secure, self-contained means for 2-4 tenants to share a single cabinet. This cabinet efficiently utilizes the floor space in the datacenter by minimizing the amount of unused space in the cabinets. The quality of manufacturing in this cabinet will instill confidence in the tenant that their physical infrastructure is protected from unauthorized access. This unique Colocation Cabinet contains features that are unmatched in the industry. The most distinctive feature of this cabinet are the secure cable channels (located in the back) within each compartment and isolated from other tenant's compartments. The secure channels are compatible with overhead and under-floor structured cabling products.

Features

- 29" mounting depth
- 48" physical depth will easily accommodate modern equipment
- 3-dial combination lock and key
- Secure, isolated cable channel
- Clearly marked rack units
- 4-compartment configuration = 44U of total rack space
- 2 compartment configuration = 46U of total rack space
- Reversible doors
- Large 3" x 3" cable access ports on top and bottom of the cabinet
- Compatible with overhead cabling and raised floor cabling systems
- Robust steel frame
- Tenants cannot remove compartment dividers

Model #	Size	Description
REE46026048-NS-2C	46U (89")x26"x48"	2-compartment, no side pane
REE44026048-NS-4C	44U (89")x26"x48"	4-compartment, no side pane
SPA00026048	N/A	Side Panels for Rack

OFFICE CABINETS



NetClosures' 16U Office Cabinet securely houses servers and other IT equipment, yet fits in an office environment. The 16U Office Cabinet is perfect for small businesses and branch offices with in-house IT departments but no dedicated data center space or network closet. It includes security features that exceed the requirements of larger data center cabinets. The 16U Office Cabinet fully encloses equipment and has front and rear lockable doors.

Features

- Adjustable mounting depth of 6" - 30" (152 - 762 mm)
- Mounting depth preset to 29"
- Universal square holes
- Dell, HP, IBM compatible
- 80% perforation on doors exceeds OEM air flow requirements
- Doors and sides are removable, lockable and reversible
- 1200 lbs (544 kgs) capacity
- Casters, leveling feet included
- Cable pass-throughs on bottom of rack

Model #	Size	Description
NC151-3500	16U (40")x24"x37"	Office cabinet with key lock
NC151-3501	16U (40")x24"x37"	Office cabinet with combination lock

Rack and Enclosure Guide

PORTABLE SERVER RACKS



The 12U Portable Server Rack is a rack mounting solution designed for users that need their racks mobile in order to handle the various demands associated with portability. As a result, the rack is built with 16 and 13 gauge, cold-rolled steel and can be ordered with optional metal casters, handles and front/rear covers (see Accessories). The rack is compatible with Dell, HP, IBM and Apple servers, and is capable of storing standard 19" devices. Its mounting depth is 19" to 29", and it boasts the ability to hold up to 540 pounds of equipment. The 12U Portable Server Rack is also built with a number of special features to make it a versatile solution. Its top is strong enough for monitors, printers and other equipment, and its side is cast with louvers to improve cooling. It features a self-squaring design with ball-bearings included.

Features

- Fits under most desks, tables
- Adjustable depth from 19 - 29" (483 - 737 mm)
- EIA square hole mounting surface
- Standard casters included
- Heavy duty casters, handles are optional
- Front/rear covers are optional
- Works with any 19" equipment
- Compatible with all Dell, HP, IBM, Apple servers

Model #	Size	Description
NCRACK-117-12	12U (25")x22"x31"	Portable server rack

OPEN FRAME RACKS



NetClosures' Open Frame Racks provide users with a versatile, customizable solution engineered to meet a diverse set of rack mounting needs. Ranging in heights from 44U to 58U, this rack optimizes cooling and promotes easy wiring, making it ideal for high density installations. It is perfect for data center deployment. It includes a vertical cable organizer, as well as support for power strips, PDUs and APC tool-less mounting. This rack features square holes, works perfectly with tool-less rails, and it's quick and easy to assemble. The Open Frame Rack is compatible with 19" equipment developed by all of the leading OEMs including: Dell, HP, IBM and Super Micro. The Open Frame Server Rack also features a number of new design attributes built specifically for data center deployment. The bottom of the open case has flush floor mounts that spread the rack's payload evenly over the floor. It can also be ordered with optional side and top panels. The top panel comes with or without holes for cable pass-through.

Features

- Universal square holes, cage nuts included
- Dell, HP, IBM and Cisco compatible
- 3000 lbs (1360 kgs) capacity
- Meets EIA, 19" standards
- Optimizes cooling and makes wiring easy
- Streamlined support for power strips, PDUs
- 24" width is perfect for data centers
- Flush floor mount spreads load on floor tiles
- Optional side, top and filler panels

Model #	Size	Description
RFP58024029	58U (108")x29"	58U 5"Vbar
RFP55024029	55U (103")x29"	55U 5"Vbar
RFP50024029	50U (94")x29"	50U 5"Vbar
RFP44024029	44U (83")x29"	44U 5"Vbar

Filler Panels

	NC102-1822	1U Flanged Filler Panel
	NC102-1823	2U Flanged Filler Panel
	NC102-1824	3U Flanged Filler Panel
	NC102-1825	4U Flanged Filler Panel
	NC102-1826	5U Flanged Filler Panel
	NC102-1827	6U Flanged Filler Panel
	NC102-1828	7U Flanged Filler Panel
	NC102-1829	8U Flanged Filler Panel
	NC102-1474	1U Tool-less Flanged Filler Panel
	NC102-1475	2U Tool-less Flanged Filler Panel
	NC102-1476	3U Tool-less Flanged Filler Panel
	NC102-1477	4U Tool-less Flanged Filler Panel
	NC102-1478	5U Tool-less Flanged Filler Panel
	NC102-1479	6U Tool-less Flanged Filler Panel
	NC102-1480	7U Tool-less Flanged Filler Panel
	NC102-1481	8U Tool-less Flanged Filler Panel
	NC102-2139	12U Tool-less Flanged Filler Panel
	NC102-2140	15U Tool-less Flanged Filler Panel
	NC102-1482	18U Tool-less Flanged Filler Panel
	NC102-2141	21U Tool-less Flanged Filler Panel
	NC102-2229	18U Aluminum Filler Panel
	NC102-2230	20U Aluminum Filler Panel
	NC102-2233	21U Aluminum Filler Panel
	NC102-2234	22U Aluminum Filler Panel
	NC102-2235	23U Aluminum Filler Panel
	NC102-2236	25U Aluminum Filler Panel
	ETN-PBP1U10	1U Plastic tool-less filler panel
	ETN-PBP2U10	2U Plastic tool-less filler panel

Rail Kits

	NC1UKIT-109-QR	1U tool-less univ. rail kit
	NC2UKIT-109-QR	2U tool-less univ. rail kit
	NC3UKIT-109-QR	3U tool-less univ. rail kit
	NC1UKIT-109	1U univ. rail kit
	NC1UKIT-109	1U univ. rail kit
	NC1UKIT-109	1U univ. rail kit

Shelves

	NC108-4013	100lb cap. fixed rackmount shelf
	NC1USHL-108	150lb cap. fixed rackmount shelf
	NC1USHL-116	500lb cap. fixed rackmount shelf
	NC108-0991	900lb cap. fixed rackmount shelf
	NC1USHL-112	45lb cap. sliding rackmount shelf w/ CMA
	NC112-1534	45lb cap. sliding rackmount shelf w/o CMA
	NC1USHL-139	75lb cap. sliding rackmount shelf w/ CMA
	NC1USHL-115	95lb cap. sliding rackmount shelf w/ CMA
	NC115-1526	95lb cap. sliding rackmount shelf w/o CMA
	NC2USHL-130	235lb cap. sliding rackmount shelf w/ CMA
	NC115-1516	95lb cap. tool-less sliding rackmount shelf w/o CMA
	NC115-1473	95lb cap. tool-less galvanized sliding rackmount shelf
	NC137-1515	Cable mgmt arm for tool-less shelf, medium-duty
	NC137-1530	Cable mgmt arm for tool-less shelf, heavy-duty

Boxes / Drawers

	NC2UBOX-160	2U rackmount box
	NC3UBOX-160	3U rackmount box
	NC4UBOX-160	4U rackmount box
	NC2UBOX-161	2U lockable rackmount box
	NC3UBOX-161	3U lockable rackmount box
	NC4UBOX-161	4U lockable rackmount box
	NC2UDRAWER-162	2U lockable rackmount drawer
	NC3UDRAWER-162	3U lockable rackmount drawer
	NC4UDRAWER-162	4U lockable rackmount drawer

Open Frame Rack Accessories

	NC113-1832	29"D top, cable ports
	NC113-1834	29"D top, solid
	NC102-1776	44Ux29" D, side panel kit (1 side)
	NC102-1777	50Ux29" D, side panel kit (1 side)
	NC102-1709	55Ux29" D, side panel kit (1 side)
	NC102-2453	58Ux29" D, side panel kit (1 side)
	NC123-2101	5"D, top airdam
	NC123-4170	5"D, adjustable side airdam
	NC123-4266	Airdam floor skirt kit
	NC123-4265	Air dam adapter 5" to 10"
	NC137-2427	Horizontal cable tray 24"w
	NC111-1731	Caster kit (NOTE: exercise caution to avoid tipping)

Cable Management / Hardware

	NC1UCROSSBAR-119-V	Heavy-duty cable mgmt bar
	NCCROSSBAR-121-QR	Tool-less cable mgmt bar
	NCCROSSBAR-121	Cable mgmt bar
	NC1UCROSSBAR-120	Cable mgmt tray
	NC137-1948	Cable mgmt bar, NW switches
	NCCAGENUT-1224-50PK	Cage nuts 12-24 (50 pack)
	NCCAGENUT-1032-50PK	Cage nuts 10-32 (50 pack)
	NCSCREW-1224-500-50PK	Screw 12-24x1/2" (50 pack)
	NCSCREW-1032-500-50PK	Screw 10-32x1/2" (50 pack)
	NC275-0125	11" zip ties (100 pack)
	NCVELCRO-ONE-WRAP-180	Velcro one wrap 180"
	NCVELCRO-CINCH-STRAP	Velcro cinch strap
	NCRACK-117-COVERS	Front & rear covers
	NCRACK-117-MOBILE-KIT	HD casters & lifting handles
	NC106-2379	Lifting handles

For more information about products or pricing,
please contact NetClosure's exclusive
U.S. distributor, HM Cragg at:

800.672.7244 • info@hmcragg.com



HM CRAGG

Quality People. Quality Power.